**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re application of:

Klimpel et al.

Application No.: 09/853,530

Filed: May 9, 2001

For: TARGETING ANTIGENS TO THE
MHC CLASS I PROCESSING
PATHWAY WITH AN ANTHRAX
TOXIN FUSION PROTEIN

Examiner: Schwadron

Technology Center/Art Unit: 1644

Declaration of Stephen Leppla under 37
C.F.R. §1.132

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

I, Stephen H. Leppla, being duly warned that willful false statements and the like are punishable by fine or imprisonment or both, under 18 U.S.C. § 1001, and may jeopardize the validity of the patent application or any patent issuing thereon, state and declare as follows:

1. All statements herein made of my own knowledge are true and statements made on information or belief are believed to be true.
2. I hold a Ph.D. (1969) from the University of Wisconsin, and a Bachelor of Science (1963) from the California Institute of Technology. I am presently Chief, Bacterial Toxins and Therapeutics Section, at the National Institute of Allergy and Infectious Diseases ("NIAID") of the National Institutes of Health ("NIH"). My field of expertise is Bacterial Toxins and Therapeutics. I have authored over one hundred and thirty publications in the field of bacterial toxins, and am a member of the NIAID Working Group on Anthrax Vaccines; the Working Group on Recombinant Toxins, NIH Office of Biotechnology Activities, OD, NIH; the American Society for Microbiology;

Klimpel *et al.*
Application No.: 09/853,530
Page 2

Atty. Docket No.: 015280-290110US PATENT

and the American Academy of Microbiology. A true copy of my *Curriculum Vitae* is attached hereto as Exhibit A.

3. The present invention relates to the surprising discovery that the anthrax toxin system can be used to deliver full length viral proteins as exogenous antigens to the cell cytosol for processing and presentation by MHC class I molecules to cytotoxic T lymphocyte cells (CTLs) to elicit a cytotoxic T lymphocyte immune response specific for the viral protein. In particular, the invention provides the first evidence that an anthrax toxin fusion protein comprising a full length viral protein-anthrax lethal factor (LF) fusion bound to anthrax protective antigen (PA) is translocated into the cell, and that *the full length viral protein is efficiently processed* into multiple epitopes by the MHC class I processing pathway and the epitopes of the full length viral antigen are presented by MHC class I molecules to CTLs. The use of full length viral protein has the advantage of providing multiple epitopes that are recognized by more than one MHC class I allele.

4. I am a named inventor on the above-referenced patent application. I have read and am familiar with the contents of the subject patent application. I have also read the Office Action received from the United States Patent and Trademark Office dated December 7, 2004. It is my understanding that the Examiner is concerned that the claimed anthrax toxin fusion proteins are obvious over WO 94/18332 ("Leppla *et al.*") in view of WO 95/03414 ("Noteborn *et al.*"). Specifically, the Examiner alleges that Leppla *et al.* discloses all elements of the claimed anthrax toxin fusion proteins except a viral protein and further alleges that Noteborn *et al.* discloses an immunoconjugate containing a viral toxin.

5. This declaration is provided to clarify for the Examiner the distinction between an MHC class I immune response and an MHC class II immune response and to demonstrate that Leppla *et al.* and Noteborn *et al.* alone or in

Klimpel *et al.*
Application No.: 09/853,530
Page 3

PATENT
Atty. Docket No.: 015280-290110US

combination do not disclose that an anthrax toxin can be used to deliver a full-length viral protein to a cytosolic MHC class I processing pathway for induction of a CTL immune response, that one of skill in the art would have no motivation to combine the disclosures of Leppla *et al.* and Noteborn *et al.* to practice the presently claimed invention, and that one of skill in the art would not have had a reasonable expectation of success of generating the presently claimed compositions by combining the disclosures of Leppla *et al.* and Noteborn *et al.*

6. It is well known in the art that immune responses are based on two distinct pathways: MHC class I and MHC class II (*see*, Abbas *et al.*, CELLULAR AND MOLECULAR IMMUNOLOGY 118-119 and 133 (Martin Wonsiewicz ed., W. B. Saunders 1991), copy enclosed as Exhibit B). "[E]ndogenously synthesized antigens end up associated with class I MHC and exogenously synthesized and endocytosed antigens end up associated with class II MHC." *Id.* at 133. CTL responses specific for a particular antigen are produced following presentation by MHC *class I* molecules to CTLs. *Id.* at 119. In contrast, antibodies specific for a particular antigen are produced following presentation of epitopes by MHC class II molecules to helper T cells. *Id.* at 118.

7. The present application provides the first evidence that a bacterial toxin system (anthrax toxin) can be used to *exogenously* introduce a full length viral protein into the cytosol for processing via the MHC class I pathway and presentation by MHC class I molecules to CTLs. The processing of the exogenously introduced full length viral protein and presentation to CTLs via the MHC class I pathway, was demonstrated by treating antigen-presenting cells with lactacystin, which inhibits proteasome function required for cytosolic MHC class I processing (*see*, specification at page 3, lines 7-11). The present inventors are therefore the first to show that a full length viral protein, fused to LF and translocated into a cell by anthrax toxin, is *processed* by the cytosolic MHC class I pathway and presented by MHC class I molecules to CTLs.

Klimpel *et al.*
Application No.: 09/853,530
Page 4

PATENT
Atty. Docket No.: 015280-290110US

8. Leppla *et al.* teaches methods for cellular delivery of small fragments of proteins or peptide epitopes, rather than full viral length proteins, using anthrax toxins comprising PA and a LF-viral protein fusion proteins. Anthrax toxin is a binary bacterial toxin comprising two proteins: LF and PA. PA binds to the cellular receptor and is cleaved, revealing an LF binding site. LF binds to PA, forming anthrax toxin which is translocated into the cell. At page 3, ¶7, lines 9-10 of the Office Action, the Examiner asserts that processed PA is created when the anthrax PA is administered *in vivo* and appears to equate cleavage of PA with processing an antigen into epitopes. However, cleavage of PA reveals its LF binding site and does *not* generate epitopes of PA for presentation by MHC class I molecules to CTLs. Leppla *et al.* teaches generic compositions where peptides or protein fragments are fused to LF for cellular translocation, via PA binding for delivery of an activity to a cell, *e.g.*, a cytotoxic activity. Leppla *et al.* does not teach the use of anthrax toxin fusion proteins for eliciting a CTL response specific for a viral protein by delivering full length viral proteins to the cytosolic MHC class I pathway for processing of the viral protein into epitopes and presentation of the epitopes by MHC class I molecules to CTLs.

9. Noteborn *et al.* teaches methods for delivery of a crude cellular extract containing a chicken anemia viral ("CAV") protein to induce an antibody response specific for the CAV protein (*see*, page 13, line 14 to page line 24; page 19, line 14 to page 21, line 34; and page 24, line 11 to page 25, lines 7). Noteborn *et al.* does not disclose delivery of any fusion protein to induce an immune response. Moreover, as explained in ¶6 above, an antibody response is produced via the MHC *class II* pathway of a cell. Noteborn *et al.* therefore, does not disclose delivery of an exogenous viral antigen to a cell for processing via the MHC class I pathway and presentation by MHC class I molecules to CTLs. Noteborn *et al.* also teaches delivery of a cytotoxic CAV protein to a cell to deliver the cytotoxic effect of the *native* protein (*i.e.*, apoptotic effect) to the cell (*see*, page 9, line 17-18; page 25, line 9 to page 26, line 29 and page 28, line 6 to page 30, line 8). In contrast to the presently claimed anthrax toxin fusion proteins, the

Klimpel *et al.*
Application No.: 09/853,530
Page 5

PATENT
Atty. Docket No.: 015280-290110US

CAV protein of Noteborn *et al.* is not processed by the cytosolic MHC class I pathway and presented by MHC class I molecules to CTLs, *i.e.*, the apoptosis disclosed in Noteborn *et al.* is *not* a CTL response specific for the CAV protein. Therefore, Noteborn *et al.* also does not teach the use of anthrax toxin fusion proteins for eliciting a CTL response specific for a viral protein by delivering full length viral proteins to the cytosolic MHC class I pathway for processing of the viral protein into epitopes and presentation of the epitopes by MHC class I molecules to CTLs.

10. One of skill in the art would have no motivation to combine the disclosure of Leppa *et al.* with the disclosure of Noteborn *et al.* to make the presently claimed compositions. As explained in ¶ 7 above, prior to the disclosure of the instant application, one of skill in the art would not have expected that an exogenously introduced full length protein could be processed and presented via the cytosolic MHC class I pathway. Indeed, Noteborn *et al.* confirms the state of the art by disclosing that a MHC class II-mediated antibody response is induced following exogenous delivery of a CAV protein to a cell. Therefore, one of skill in the art would have no motivation to combine the disclosures of Leppa *et al.* and Noteborn *et al.* to make the presently claimed anthrax toxin fusion proteins for exogenously delivering full length viral proteins to the cytosolic MHC *class I* pathway for processing of the viral protein into epitopes and presentation of the epitopes by MHC class I molecules to CTLs.

11. Even if one of skill in the art were to combine the disclosures of Leppa *et al.*, and Noteborn *et al.* there would be no reasonable expectation of success in generating the presently claimed compositions. Delivery of a full length viral protein to a target cell using the presently claimed compositions would lead to processing and presentation of the viral protein by the target cell and subsequent generation of a MHC class I-mediated cytotoxic T cell response specific for the viral protein, but would neither kill the target cell as disclosed in Leppa *et al.* and Noteborn *et al.* nor generate a class II mediated antibody response against viral protein as disclosed in Noteborn *et al.* Thus,

Klimpel *et al.*
Application No.: 09/853,530
Page 6

PATENT
Atty. Docket No.: 015280-290110US


modification of the compositions disclosed by Leppla *et al.* and Noteborn *et al.* to deliver viral proteins to a target cell would render the Leppla *et al.* and Noteborn *et al.* compositions unsuitable for their intended purposes.

12. In conclusion, the present application provides the first evidence that full length viral proteins fused to anthrax toxin are translocated into the cell, enter the cytosolic MHC *class I* processing pathway, and are subsequently presented by MHC class molecules to CTLs. The disclosures of Leppla *et al.* and Noteborn *et al.* alone or in combination do not disclose translocation of an exogenous antigen into a cell for processing and presentation via the MHC class I pathway. Thus, it is my opinion that the teachings of Leppla *et al.* in view of Noteborn *et al.* do *not* provide one of skill in the art with motivation to practice the claimed invention, nor a reasonable expectation of success for one of skill in the art in practicing the claimed invention.

13. The Declarant has nothing further to say.

Dated: 1 June 05

By: _____


Stephen H. Leppla, Ph.D.

60504268

CURRICULUM VITAE

Stephen H. Leppla, Ph.D.

EDUCATION

- 1959-63 B.S. Biology, California Institute of Technology
- 1963-69 Ph.D. Biochemistry, Biochemistry Department
University of Wisconsin, Madison
Characterization of yeast ribonucleic acids

EMPLOYMENT HISTORY

- 1969-71 National Institutes of Health Postdoctoral Fellow
Dept. of Molecular Biology, University of California, Berkeley, CA.
Studies of the control of RNA synthesis in bacteria, using chemical
and genetic techniques. Terminal nucleotide analysis of viral RNAs.
- 1971-73 Research Associate, Division of Biological and Medical Sciences,
Brown University, Providence, RI.
Biochemistry of schistosomiasis.
Isolation of enzymatically and serologically-active materials.
- 1974-89 Research Chemist (and Division Chief during 1983-1985)
Bacteriology Division,
U.S. Army Medical Research Institute of Infectious Diseases,
Frederick, MD.
Characterization of bacterial toxins.
- 1989-2001 Research Chemist, Oral Infection and Immunity Branch
National Institute of Dental and Craniofacial Research
National Institutes of Health, Bethesda, MD.
Structure and function of bacterial protein toxins.
- 2001-present Senior Investigator
Chief, Bacterial Toxins and Therapeutics Section
National Institute of Allergy and Infectious Diseases
National Institutes of Health, Bethesda, MD.
Structure and function of bacterial protein toxins.

MEMBERSHIPS IN PROFESSIONAL SOCIETIES

- 1974-present American Society for Microbiology
- 1985-present American Academy of Microbiology

OTHER ACTIVITIES

1980-1987	Member, Editorial Board, Infection and Immunity
1987-1991	Editor, Infection and Immunity
1995-1998	Member, NIH Institutional Biosafety Committee
1998-	Member, NIAID Working Group on Anthrax Vaccines
2000-	Member, Working Group on Recombinant Toxins, NIH Office of Biotechnology Activities, OD, NIH

Publications:

1. **Leppla, S. H.**, B. Bjoraker, and R. M. Bock.
Borohydride reduction of periodate-oxidized chain ends (RNA).
Methods in Enzymology 12:236, Academic Press. 1968.
2. Lewandowski, L. J., J. Content, and **S. H. Leppla**.
Characterization of the subunit structure of the ribonucleic acid genome of influenza virus.
J. of Virology 8:701-707. 1971.
3. Lewandowski, L. J. and **S. H. Leppla**.
Comparison of the 3' termini of discrete segments of the double-stranded ribonucleic acid genomes of cytoplasmic polyhedrosis virus, wound tumor virus, and reovirus.
J. of Virology 10:965-968. 1972.
4. **Leppla, S. H.**
Large-scale purification and characterization of the exotoxin of *Pseudomonas aeruginosa*.
Infect. Immun. 14:1077-1086. 1976.
5. White, J. D., J. V. Jemski, G. H. Scott, R. A. Kishimoto and **S. H. Leppla**.
Scanning electron microscopy of experimentally induced respiratory infections.
Scanning Electron Microscopy/1977, Vol. II. 1977.
6. **Leppla, S. H.**, O. C. Martin, and L. A. Muehl.
The exotoxin of *P. aeruginosa*: A proenzyme having an unusual mode of activation.
Biochem. Biophys. Res. Commun. 81:532-538. 1978.
7. Snell, K., I. A. Holder, **S. H. Leppla**, and C. B. Saelinger.
Role of exotoxin and protease as possible virulence factors in experimental infections with *Pseudomonas aeruginosa*.
Infect. Immun. 19:839-845. 1978.
8. Middlebrook, J. L., R. B. Dorland, and **S. H. Leppla**.
Association of diphtheria toxin with Vero cells: Evidence for a receptor.
J. Biol. Chem. 253:7325-7330. 1978.
9. Middlebrook, J. L., R. B. Dorland, and **S. H. Leppla**.
Effects of lectins on the interaction of diphtheria toxin with mammalian cells.
Exp. Cell Res. 121:95-101. 1979.
10. Walker, H. L., C. G. McLeod, Jr., **S. H. Leppla**, and A. D. Mason, Jr.
Evaluation of *Pseudomonas aeruginosa* toxin A in experimental rat burn wound sepsis.
Infect. Immun. 25:828-830. 1979.
11. Dorland, R. B., J. L. Middlebrook, and **S. H. Leppla**.
Receptor-mediated internalization and degradation of diphtheria toxin by monkey kidney cells.
J. Biol. Chem. 254:11337-11342. 1979.
12. **Leppla, S. H.**, R. B. Dorland, and J. L. Middlebrook.
Inhibition of diphtheria toxin degradation and cytotoxic action by chloroquine.

J. Biol. Chem. 255:2247-2250. 1980.

13. Brown, J. E., M. A. Ussery, **S. H. Leppla**, and S. W. Rothman.
Inhibition of protein synthesis by shiga toxin.
FEBS Letters 117:84-88. 1980.

14. Middlebrook, J. L., R. B. Dorland, **S. H. Leppla**, and J. D. White.
Receptor-mediated binding and internalization of *Pseudomonas* exotoxin A and diphtheria exotoxin by mammalian cells.
In "Natural Toxins", International Symposium on Animal, Plant, and Microbial Toxins, pp. 463-470, D. Eaker and T. Wadstrom, eds., Pergamon Press. 1980.

15. **Leppla, S. H.** and R. B. Dorland.
Uptake mechanisms for ADP-ribosylating toxins.
In "Receptor-Mediated Binding and Internalization of Toxins and Hormones", pp. 65-79, J. L. Middlebrook and L. Kohn, eds., Academic Press. 1981.

16. Pavlovskis, O. R., D. C. Edman, **S. H. Leppla**, B. Wretling, L. R. Lewis, and K. E. Martin.
Protection against experimental *Pseudomonas aeruginosa* infection in mice by active immunization with exotoxin A toxoids.
Infect. Immun. 32:681-689. 1981.

17. Dorland, R. B., J. L. Middlebrook, and **S. H. Leppla**.
Effect of ammonium chloride on receptor-mediated uptake of diphtheria toxin by Vero cells.
Exp. Cell Res. 134:319-327. 1981.

18. **Leppla, S. H.**
Anthrax toxin edema factor: A bacterial adenylate cyclase that increases cyclic AMP concentrations in eukaryotic cells.
Proc. Natl. Acad. Sci. USA 79:3162-3166. 1982.

19. Vodkin, M. H. and **S. H. Leppla**.
Cloning of the protective antigen gene of *Bacillus anthracis*.
Cell 34:693-697. 1983.

20. Mikesell, P., B. E. Ivins, J. D. Ristoph, M. H. Vodkin, T. M. Drier, and **S. H. Leppla**.
Plasmids, Pasteur, and Anthrax.
ASM News, pp. 320-322. Amer.Soc. Microb. 1983.

21. **Leppla, S. H.**
Bacillus anthracis calmodulin dependent adenylate cyclase: chemical and enzymatic properties and interactions with eukaryotic cells.
In Adv. Cyclic Nucleotide and Protein Phosphor. Res. 17:189-198.
Raven Press, New York. 1984.

22. Manhart, M. D., R. E. Morris, P. F. Bonventre, **S. Leppla**, and C. B. Saelinger.
Evidence for *Pseudomonas* exotoxin A receptors on plasma membrane of toxin-sensitive LM fibroblasts.
Infect. Immun. 45:596-603. 1984.

23. Ezzell, J. W., B. E. Ivins, and **S. H. Leppla**.
Immunoelectrophoretic analysis, toxicity, and kinetics of *in vitro* production of the protective antigen and lethal factor components of *Bacillus anthracis* toxin.
Infect. Immun. 45:761-767. 1984.

24. O'Brien, J., A. Friedlander, T. Drier, J. Ezzell, and **S. Leppla**.
The effects of anthrax toxin components on human neutrophils.
Infect. Immun. 47:306-310. 1985.

25. Allured, V. S., L. M. Case, **S. H. Leppla**, and D. B. McKay.
Crystallization of the protective antigen protein of *Bacillus anthracis*.
J. Biol. Chem. 260:5012-5013. 1985.
26. Wade, B. H., G. G. Wright, E. L. Hewlett, **S. H. Leppla**, and G. L. Mandell.
Anthrax toxin components stimulate chemotaxis of human polymorphonuclear neutrophils.
Proc. Soc. Expt. Biol. Med. 179:159-162. 1985.
27. **Leppla, S. H.**, B. E. Ivins, and J. W. Ezzell, Jr.
Anthrax toxin.
In "Microbiology --1985", L. Leive, ed. American Society for Microbiology, Washington, D.C., p 63-66. 1985.
28. Ezzell, J. W., P. Mikesell, B. E. Ivins, and **S. H. Leppla**.
The genetic basis of Pasteur's attenuation of *Bacillus anthracis* cultures
In "World's Debt to Pasteur", H. Koprowski and S. A. Plotkin, eds., Alan R. Liss, Inc., New York, N.Y. 1985.
29. Ivins, B. E., J. W. Ezzell, Jr., K. W. Hedlund, J. D. Ristroph, and **S. H. Leppla**.
Immunization studies with attenuated strains of *Bacillus anthracis*.
Infect. Immun. 52:454-458. 1986.
30. **Leppla, S. H.**, D. L. Robertson, S. L. Welkos, L. A. Smith, and M. H. Vodkin.
Cloning and analysis of genes for anthrax toxin components.
In Proceeding of the Second European Workshop on Bacterial Protein Toxins, P. Falmagne et al (Eds.). Zentralblatt
fur Bakteriologie, Mikrobiologie, und Hygiene I. Abteilung. Gustav Fischer, Stuttgart and New York, 1986.
31. Robertson, D. L. and **S. H. Leppla**.
Molecular cloning and expression in *Escherichia coli* of the lethal factor gene of *Bacillus anthracis*.
Gene 44:71-78. 1986.
32. Larson, D. K., G. J. Calton, J. W. Burnett, S. F. Little, and **S. H. Leppla**.
Purification of *Bacillus anthracis* protective antigen by immunosorbent chromatography.
Enzyme Microb. Technol. 10:14-18. 1988.
33. Gordon, V. M., **S. H. Leppla**, and E. L. Hewlett.
Inhibitors of receptor-mediated endocytosis block the entry of *Bacillus anthracis* adenylate cyclase toxin,
but not *Bordetella pertussis* adenylate cyclase toxin.
Infect. Immun. 56:1066-1069. 1988.
34. **Leppla, S. H.**
Production and purification of anthrax toxin.
In "Methods in Enzymology", S. Harshmann, ed. Academic Press, New York, N.Y., Vol 165, p. 103-116. 1988.
35. Little, S. F., **S. H. Leppla**, and E. M. Cora.
Production and characterization of monoclonal antibodies against the protective antigen component of
Bacillus anthracis toxin.
Infect. Immun. 56:1807-1813. 1988.
36. Welkos, S. L., J. R. Lowe, F. Eden-McCutchan, M. Vodkin, **S. H. Leppla**,
and J. J. Schmidt.
Sequence and Analysis of the DNA encoding protective antigen of *Bacillus anthracis*.
Gene 69:287-300. 1988.
37. Turnbull, P. C. B., **S. H. Leppla**, M. G. Broster, C. P. Quinn, and J. Melling.
Antibodies to anthrax toxin in humans and guinea pigs and their relevance to protective immunity.
Med. Microbiol. Immun. 177:293-303. 1988.
38. **Leppla, S. H.**, A. M. Friedlander, and E. M. Cora.
Proteolytic activation of anthrax toxin bound to cellular receptors
In "Bacterial Protein Toxins", F. J. Fehrenbach, J. E. Alouf, P. Falmagne, W. Goebel, J. Jeljaszewicz, D. Jurgen, and
R. Rappuoli, (eds.), p. 111-112. Gustav Fischer Verlag, Stuttgart, New York. 1988.

39. Robertson, D. L., M. T. Tippetts, and **S. H. Leppla**.
Nucleotide sequence of the *Bacillus anthracis* edema factor gene (*cya*):
A calmodulin-dependent adenylate cyclase.
Gene **73**:363-371. 1988.
40. Larson, D. K., G. J. Calton, S. F. Little, **S. H. Leppla** and J. W. Burnett.
Separation of three exotoxins of *Bacillus anthracis* by sequential immunosorbent chromatography.
Toxicon **26**:913-921. 1988.
41. Singh, Y., **S. H. Leppla**, R. Bhatnagar, and A. M. Friedlander.
Internalization and processing of *Bacillus anthracis* lethal toxin by toxin-sensitive and -resistant cells.
J. Biol. Chem. **264**:11099-11102. 1989.
42. Bhatnagar, R., Y. Singh, **S. H. Leppla**, and A. M. Friedlander.
Calcium is required for the expression of anthrax lethal toxin activity in the macrophagelike cell line J774A.1.
Infect. Immun. **57**:2107-2114. 1989.
43. Bartkus, J. M. and **S. H. Leppla**.
Transcriptional regulation of the protective antigen gene of *Bacillus anthracis*.
Infect. Immun. **57**:2295-2300. 1989.
44. Gordon, V. M., W. W. Young, Jr., S. M. Lechler, **S. H. Leppla**, and E. L. Hewlett.
Adenylate cyclase toxins from *Bacillus anthracis* and *Bordetella pertussis*:
Different processes for interaction with and entry into target cells.
J. Biol. Chem. **264**:14792-14796. 1989.
45. Singh, Y., V. K. Chaudhary, and **S. H. Leppla**.
A deleted variant of *Bacillus anthracis* protective antigen is non-toxic and blocks anthrax toxin action in vivo.
J. Biol. Chem. **264**:19103-19107. 1989.
46. **Leppla, S. H.**, A. M. Friedlander, Y. Singh, E. M. Cora, and R. Bhatnagar.
A model for anthrax toxin action at the cellular level.
Salisbury Med. Bull., No. 68, Special Supplement, p. 41-43. 1990.
47. Singh, Y., **S. H. Leppla**, R. Bhatnagar, and A. M. Friedlander.
Basis of cellular sensitivity and resistance to anthrax lethal toxin.
Salisbury Med. Bull., No. 68, Special Supplement, p. 46-48. 1990.
48. Bartkus, J. M. and **S. H. Leppla**.
Use of gene fusions to study expression of virulence genes in *Bacillus anthracis*.
Salisbury Med. Bull., No. 68, Special Supplement, p. 67-69. 1990.
49. Little, S. F., **S. H. Leppla** and A. M. Friedlander.
Production and characterization of monoclonal antibodies against the lethal factor component of *Bacillus anthracis* lethal toxin.
Infect. Immun. **58**:1606-1613. 1990.
50. **Leppla, S. H.**
Purification and characterization of adenylate cyclase from *Bacillus anthracis*.
In "Methods in Enzymology", R. A. Johnson and J. D. Corbin, eds. Academic Press, New York, N.Y., Vol 195,
p. 153-168. 1991.
51. Singh, Y., K. R. Klimpel, C. P. Quinn, V. K. Chaudhary, and **S. H. Leppla**.
The carboxyl-terminal end of protective antigen is required for receptor binding and anthrax toxin activity.
J. Biol. Chem. **266**:15493-15497. 1991.
52. Quinn, C. P., K. R. Klimpel, Y. Singh, and **S. H. Leppla**.
Functional mapping of anthrax toxin lethal factor by in-frame insertion mutagenesis.
J. Biol. Chem. **266**:20124-20130. 1991.

53. **Leppla, S. H.**

The anthrax toxin complex.

In Sourcebook of Bacterial Protein Toxins, pp. 277-302, J. A. Alouf and J. Freer, eds, Academic Press. 1991.

54. Klimpel, K. R., **S. H. Leppla**, Y. Singh and C. P. Quinn.

Fine structure analysis of the amino acid sequence recognized by the eukaryotic cell protease that activates anthrax toxin.

In "Bacterial Protein Toxins", B. Witholt, J. E. Alouf, G. J. Boulnois, P. Cossart, B. W. Dijkstra, P. Falmagne, F. J. Fehrenbach, J. Freer, H. Niemann, R. Rappuoli, and T. Wadstrom (eds.), p. 490-491. Gustav Fischer Verlag, Stuttgart, New York. 1992.

55. Arora, N., K. R. Klimpel, Y. Singh, and **S. H. Leppla**.

Fusions of anthrax toxin lethal factor to the ADP-ribosylation domain of *Pseudomonas exotoxin A* are potent cytotoxins which are translocated to the cytosol of mammalian cells.

J. Biol. Chem. 267:15542-15548. 1992.

56. Molloy, S. S., P. A. Bresnahan, **S. H. Leppla**, K. R. Klimpel, and G. Thomas.

Human furin is a calcium-dependent serine endoprotease that recognizes the sequence Arg-X-X-Arg and efficiently cleaves anthrax toxin protective antigen.

J. Biol. Chem. 267:16396-16402. 1992.

57. Novak, J. M., M.-P. Stein, S. F. Little, **S. H. Leppla**, and A. M. Friedlander.

Functional characterization of protease-treated *Bacillus anthracis* protective antigen.

J. Biol. Chem. 267:17186-17193. 1992.

58. Klimpel, K. R., S. S. Molloy, G. Thomas, and **S. H. Leppla**.

Anthrax toxin protective antigen is activated by a cell surface protease with the sequence specificity and catalytic properties of furin.

Proc. Natl. Acad. Sci. USA, 89:10277-10281. 1992.

59. Friedlander, A. M., R. Bhatnagar, **S. H. Leppla**, L. Johnson, and Y. Singh.

Characterization of macrophage sensitivity and resistance to anthrax lethal toxin.

Infect. Immun. 61:245-252. 1993.

60. Arora, N. and **S. H. Leppla**.

Residues 1-254 of anthrax toxin lethal factor are sufficient to cause cellular uptake of fused polypeptides.

J. Biol. Chem. 268:3334-3341. 1993.

61. Uchida, I., J. M. Hornung, C. B. Thorne, K. R. Klimpel, and **S. H. Leppla**.

Cloning and characterization of a gene whose product is a *trans*-activator of anthrax toxin synthesis.

J. Bacteriol. 175:5329-5338. 1993.

62. Gordon, V. M. and **S. H. Leppla**.

Proteolytic activation of bacterial toxins. Role of bacterial and host cell proteases. (Minireview)

Infect. Immun. 62:333-340. 1994.

63. Little, S. F., **S. H. Leppla**, J. W. Burnett, and A. M. Friedlander.

Structure-function analysis of *Bacillus anthracis* edema factor by using monoclonal antibodies.

Biochem. Biophys. Res. Comm., 199:676-682. 1994.

64. **Leppla, S. H.**, Kurt R. Klimpel, and N. Arora.

Development of anthrax toxin-based fusion proteins for targeting of HIV-1-infected cells.

In "Bacterial Protein Toxins", Zbl. Bakt. Suppl. 24, J. Freer, F. J. Fehrenbach, and others (eds.), Gustav Fischer, Stuttgart, Jena, New York pp. 431-442.

65. Klimpel, K. R., N. Arora, **S. H. Leppla**.

Anthrax toxin lethal factor contains a zinc metalloprotease consensus sequence which is required for lethal toxin activity.

Mol. Microbiol., 13:1093-1100. 1994.

66. Arora, N. and **S. H. Leppla**.

Fusions of anthrax toxin lethal factor with Shiga toxin and diphtheria toxin enzymatic domains are toxic to mammalian cells.

Infect. Immun., 62:4955-4961. 1994.

67. FitzGerald, D.J., C.M. Fryling, A. Zdanovsky, C.B. Saelinger, M. Kounnas, D.K. Strickland, and **S. Leppla**.

Selection of *Pseudomonas* exotoxin-resistant cells with altered expression of ∇_2 MR/LRP.

Ann. N. Y. Acad. Sci. 737:138-144. 1994.

68. Arora, N., L. C. Williamson, **S. H. Leppla**, and J. L. Halpern.

Cytotoxic effects of a chimeric protein consisting of tetanus toxin light chain and anthrax toxin lethal factor in non-neuronal cells.

J. Biol. Chem, 269:26165-26171. 1994.

69. Singh, Y., K. R. Klimpel, N. Arora, M. Sharma, and **S. H. Leppla**.

The chymotrypsin-sensitive site, FFD315, in anthrax toxin protective antigen is required for translocation of lethal factor.

J. Biol. Chem., 269:29039-29046. 1994.

70. Friedman, T. C., V. M. Gordon, **S. H. Leppla**, K. R. Klimpel, N. P. Birch, and Y. P. Loh.

In vitro processing of anthrax toxin protective antigen by recombinant PC1(SPC3) and bovine intermediate lobe secretory vesicle membranes.

Arch. Biochem. Biophys., 316:5-13. 1995.

71. Gordon, V. M., K. R. Klimpel, N. Arora, M. A. Henderson, and **S. H. Leppla**.

The proteolytic activation of bacterial toxins by eukaryotic cells is performed by furin and by additional cellular proteases.

Infect. Immun. 63:82-87. 1995.

72. **Leppla, S. H.**, K. R. Klimpel, and N. Arora.

Anthrax toxin mechanisms of receptor binding and internalization. pp. 127-139,

in *Molecular Mechanisms of Bacterial Virulence*, C. I. Kado and J. H. Crosa, eds.,

Kluwer Academic Publishers, Hingham, MA, 1994.

73. **Leppla, S. H.**

Anthrax toxins. pp. 543-572.

In *Bacterial Toxins and Virulence Factors in Disease*. Volume 8 of the Handbook of Natural Toxins.

Moss, J., B. Iglewski, M. Vaughan, and A. T. Tu, eds.

Marcel Dekker, 1995.

74. FitzGerald, D.J., C. M. Fryling, A. Zdanovsky, C. B. Saelinger, M. Kounnas, J. A. Winkles, D. Strickland, and **S. Leppla**.

Pseudomonas exotoxin-mediated selection yields cells with altered expression of low density lipoprotein-related protein.

J. Cell Biol. 129:1533-1541 1995.

75. Gu, M.-L., J. Rappaport, and **S. H. Leppla**.

Furin is important but not essential to the processing of HIV-1 gp160.

FEBS Lett. 365:95-97. 1995.

76. Gu, M., V. M. Gordon, D. J. P. FitzGerald, and **S. H. Leppla**.

Furin regulates both the activation of *Pseudomonas* exotoxin A and the quantity of the toxin receptor expressed on target cells.

Infect. Immun. 64:524-527. 1996.

77. Little, S. F., J. M. Novak, J. R. Lowe, **S. H. Leppla**, Y. Singh, K. R. Klimpel, B. C. Lidgerding, and A. M. Friedlander.

Characterization of lethal factor binding and cell receptor binding domains of protective antigen of *Bacillus anthracis* using monoclonal antibodies.

Microbiology 142:707-715. 1996

78. Petosa, C., R. J. Collier, K. R. Klimpel, **S. H. Leppla**, and R. C. Liddington.
Crystal structure of the anthrax toxin protective antigen.
Nature 385:833-838. 1997

79. Gordon, V. M., A. Rehemtulla, and **S. H. Leppla**.
A role for PACE4 in the proteolytic activation of anthrax toxin protective antigen.
Infect. Immun. 65:3370-3375. 1997.

80. Goletz, T. J., K. R. Klimpel, **S. H. Leppla**, J. M. Keith, and J. A. Berzofsky.
Delivery of antigens to the MHC Class I pathway using bacterial antigens.
Hum. Immun. 54:129-136. 1997.

81. **Leppla, S.H.**
Anthrax edema factor (*Bacillus anthracis*), p. 41-43.
in: Guidebook to Protein Toxins and their Use in Cell Biology, R. Rappuoli and C. Montecucco, eds.,
Oxford University Press, 1997.

82. Gordon, V. M., R. Benz, K. E. Fujii, **S. H. Leppla**, and R. K. Tweten.
Clostridium septicum alpha toxin is proteolytically activated by furin.
Infect. Immun. 65:4130-4134. 1997.

83. Goletz, T. J., K. R. Klimpel, N. Arora, **S. H. Leppla**, J. M. Keith, and J. A. Berzofsky.
Targeting HIV proteins to the MHC Class I processing pathway with a novel gp-120-anthrax toxin fusion protein.
Proc. Natl. Acad. Sci. 94:12059-12064. 1997.

84. Varughese, M., A. Chi, A. V. Teixeira, P. J. Nicholls, J. M. Keith, and **S. H. Leppla**.
Internalization of a *Bacillus anthracis* protective antigen-c-Myc fusion protein mediated by cell surface anti-c-Myc antibodies.
Mol. Med. 4:87-95. 1998.

85. Duesbery, N. S., C. P. Webb, **S. H. Leppla**, V. M. Gordon, K. R. Klimpel, T. Copeland, N. G. Ahn, M. K. Oskarsson, K. Fukasawa, and G. F. Vande Woude.
Proteolytic inactivation of MAP-Kinase-Kinase by anthrax lethal factor.
Science. 280:734-737. 1998.

86. Singh, Y., B. E. Ivins, and **S. H. Leppla**.
Study of immunization against anthrax with the purified recombinant protective antigen of *Bacillus anthracis*.
Infect. Immun. 66:3447-3448. 1998.

87. Leppla, S. H.
Anthrax toxin lethal factor, p. 1491-1492.
in: Handbook of Proteolytic Enzymes, A.J. Barrett, N. D. Rawlings, and J. F. Woessner, eds.,
Academic Press, 1998.

88. Abrami, L., M. Fivaz, E. Decroly, N. G. Seidah, F. Jean, G. Thomas, **S. H. Leppla**, J. T. Buckley, and F. G. van der Goot
The pore-forming toxin proaerolysin is activated by furin.
J. Biol. Chem. 273:32656-32661. 1998.

89. Gu, M.L., **S. H. Leppla**, and D. M. Klinman
Protection against anthrax toxin by vaccination with a DNA plasmid encoding anthrax protective antigen.
Vaccine, 17:340-344. 1999.

90. Singh, Y., K. R. Klimpel, S. Goel, P. K. Swaim, and **S. H. Leppla**.
Oligomerization of anthrax toxin protective antigen and binding of lethal factor during endocytic uptake into mammalian cells.
Infect. Immun. 67:1853-1859. 1999.

91. Varughese, M., A. V. Teixeira, S. Liu, and **S. H. Leppla**.
Identification of a receptor-binding region within domain 4 of the protective antigen component of anthrax toxin.
Infect. Immun. 67:1860-1865. 1999.
92. Tang, G. and **S. H. Leppla**.
Proteasome activity is required for anthrax lethal toxin to kill macrophages
Infect. Immun. 67:3055-3060. 1999.
93. **Leppla, S. H.**
The bifactorial *Bacillus anthracis* lethal and oedema toxins. P. 243-263
in *Comprehensive Sourcebook of Bacterial Protein Toxins*, 2nd edition, J. A. Alouf and J. Freer, eds, Academic Press, London, in press, 1999.
94. Gordon, V. M., K. L. Nelson, J. T. Buckley, V. L. Stevens, R. K. Tweten, and **S. H. Leppla**.
Clostridium septicum alpha toxin uses glycosylphosphatidylinositol-anchored protein receptor
J. Biol. Chem. 274:27274-27280. 1999.
95. Park, S. and **S. H. Leppla**.
Optimized production and purification of *Bacillus anthracis* lethal factor.
Prot. Express. Purif. 18:293-302. 2000.
96. **Leppla, S. H.**
Anthrax toxin.
in: *Bacterial Protein Toxins, Handbook of Experimental Pharmacology*, Vol 145 : Eds. K. Aktories & I. Just
Springer-Verlag GmbH & Co. KG; Berlin. Pp 445-472. 2000.
97. Liu, S., S. Netzel-Arnett, H. Birkedal-Hansen, and **S. H. Leppla**
Tumor cell-selective cytotoxicity of matrix metalloproteinase-activated anthrax toxin
Cancer Res. 60:6061-6067. 2000.
98. Duesbery, N. S., J. Resau, C. P. Webb, S. Koochekpour, H.-M. Koo, **S. H. Leppla**, and G. F. Vande Woude
Suppression of ras-mediated transformation and inhibition of tumor growth and angiogenesis by anthrax lethal factor, a proteolytic inhibitor of multiple MEK pathways
Proc. Natl. Acad. Sci. 98:4089-4094. 2001.
99. Liu, S., T. H. Bugge, and **S. H. Leppla**
Targeting of tumor cells by cell surface urokinase plasminogen activator-dependent anthrax toxin.
J. Biol. Chem. 276:17976-17984. 2001.
100. **Leppla, S. H.**
A dominant-negative therapy for anthrax. (News & Views commentary)
Nature Med. 7:659-660. 2001.
101. Price, B. M., A. L. Liner, S. Park, **S. H. Leppla**, A. Mateczun, and D. R. Galloway.
Protection against lethal anthrax toxin challenge by genetic immunization with a plasmid encoding the lethal factor protein.
Infect Immun., 69:4509-4515. 2001.
102. Moriya, O, M. Matsui, M. Osorio, H. Miyazawa, C. M. Rice, S. M. Feinstone, **S. H. Leppla**, J. M. Keith, and T. Akatsuka. Induction of hepatitis C virus-specific cytotoxic T lymphocytes in mice by immunization with dendritic cells treated with an anthrax toxin fusion protein.
Vaccine, 2942:1-8. 2001.
103. Pannifer, A., T. Y. Wong, R. Schwarzenbacher, M. Renatus, C. Petosa, J. Bienkowska, D. B. Lacy, R. J. Collier, S. Park, **S. H. Leppla**, P. Hanna, and R. C. Liddington.
Crystal Structure of the Anthrax Lethal Factor.
Nature, 414:229-233. 2001.
104. Chaudry, G. J., M. Moayeri, S. Liu and **S. H. Leppla**.
Quickening the pace of anthrax research: three advances point toward possible therapies

Trends in Microbiology, 10:58-62. 2002.

105. Koo, H. M., M. VanBrocklin, M. J. McWilliams, **S. H. Leppla**, N. S. Duesbery, and G. F. Vande Woude.
Apoptosis and melanogenesis in human melanoma cells induced by anthrax toxin lethal factor inactivation of mitogen-activated protein kinase kinase
Proc. Natl. Acad. Sci. 99:3052-3057. 2002.

106. Frankel, A. E., T. H. Bugge, S. Liu, D. A. Vallera, and **S. H. Leppla**.
Peptide toxins directed at the matrix dissolution systems of cancer cells.
Prot. Pept. Letters 9:1-14. 2002.

107. Ramirez, D., **S. H. Leppla**, R. Schneerson, and J. Shiloach.
Production, recovery and immunogenicity of the protective antigen from a recombinant strain of *Bacillus anthracis*
J. Indus. Micro. & Biotech. 28:232-238. 2002.

108. Maynard, J. A., C. B. M. Maassen, **S. H. Leppla**, K. Brasky, J. L. Patterson, B. L. Iverson, and G. Georgiou.
Protection against anthrax toxin by recombinant antibody fragments correlates with antigen affinity
Nature Biotech. 20:597-601. 2002.

109. **Leppla, S. H.**, J. B. Robbins, R. Schneerson, and J. Shiloach.
Development of an improved vaccine for anthrax
J. Clin. Invest. 110:141-144. 2002.

110. Frankel, A. E., B. L. Powell, N. S. Duesbery, G. F. Vande Woude, and **S. H. Leppla**.
Anthrax fusion protein therapy of cancer
Curr. Prot. & Pept. Ther. of Cancer. 3:399-407. 2002.

111. Rosovitz, M. J. and **S. H. Leppla**.
Medicine: Virus deals anthrax a killer blow (News & Views)
Nature. 418:825-826. 2002.

112. Liu, S. and **S. H. Leppla**. Cell surface tumor endothelium marker 8 cytoplasmic tail-independent anthrax toxin binding, proteolytic processing, oligomer formation, and internalization
J. Biol. Chem. 278:5227-5234 2003.

113. Abrami, L., S. Liu, P. Cosson, **S. H. Leppla**, and F. G. van der Goot.
Anthrax toxin triggers endocytosis of its receptor via a lipid raft-mediated clathrin-dependent process. J. Cell Biol. 160:321-328. 2003.

114. Liu, S., H. Aaronson, D. J. Mitola, **S. H. Leppla**, and T. H. Bugge.
Potent antitumor activity of a urokinase-activated engineered anthrax toxin.
Proc. Natl. Acad. Sci. U. S. A 100:657-662. 2003.

115. Webster, J. I., L. H. Tonelli, M. Moayeri, S. S. Simons, Jr., **S. H. Leppla**, and E. M. Sternberg.
Anthrax lethal factor represses glucocorticoid and progesterone receptor activity.
Proc. Natl. Acad. Sci. U. S. A. 100:5706-5711. 2003.

116. Rosovitz, M. J., P. Schuck, M. Varughese, A. P. Chopra, V. Mehra, Y. Singh, L. M. McGinnis, and **S. H. Leppla**.
Alanine scanning mutations in domain 4 of anthrax toxin protective antigen reveal residues important for binding to the cellular receptor and to a neutralizing monoclonal antibody.
J. Biol. Chem. 278:30936-30944. 2003.

117. Boyaka, P. N., A. Tafaro, R. Fischer, **S. H. Leppla**, K. Fujihashi, and J. R. McGhee.
Effective mucosal immunity to anthrax: neutralizing antibodies and Th cell responses following nasal immunization with protective antigen.
J. Immunol. 170:5636-5643. 2003.

118. Agrawal, A., J. Lingappa, **S. H. Leppla**, S. Agrawal, A. Jabbar, C. Quinn and B. Pulendran.
Impairment of dendritic cells and adaptive immunity by anthrax lethal toxin

Nature 424:329-334. 2003.

119. Schneerson, R., J. Kubler-Kielb, T. Y. Liu, Z. D. Dai, A. Yergey, P. Backlund, J. Shiloach, **S. H. Leppla**, F. Majadly, and J. B. Robbins.

Poly(γ -D-glutamic acid) protein conjugates induce IgG antibodies in mice to the capsule of *Bacillus anthracis*: A potential addition to the anthrax vaccine
Proc. Natl. Acad. Sci. USA 100:8945-8950. 2003.

120. Liu, S., R. L. Schubert, T. H. Bugge, and **S. H. Leppla**.

Anthrax toxin: structures, functions, and tumor targeting.
Expert Opin. Biol. Ther. 3(5):843-855. 2003.

121. Moayeri, M., D. Haines, H. A. Young, and **S. H. Leppla**.

Bacillus anthracis lethal toxin induces TNF-alpha-independent hypoxia-mediated toxicity in mice.
J. Clin. Inv. 112:670-682. 2003.

122. Frankel, A. E., D. M. Neville, T. A. Bugge, R. J. Kreitman, and **S. H. Leppla**.

Immunotoxin therapy of hematologic malignancies.
Semin. Oncol. 30:545-557. 2003.

123. Liu, S. and **S. H. Leppla**.

Retroviral insertional mutagenesis identifies a small protein required for synthesis of diphthamide, the target of bacterial ADP-ribosylating toxins.
Mol. Cell 12:603-613. 2003.

124. Frankel, A. E., H. M. Koo, **S. H. Leppla**, N. S. Duesbery, and G. F. Vande Woude.

Novel protein targeted therapy of metastatic melanoma.
Curr. Pharm. Design 9:2060-2066. 2003.

125. Pomerantsev, A. P., K. V. Kalnin, M. Osorio, and **S. H. Leppla**.

Phosphatidylcholine-specific phospholipase C and sphingomyelinase activities in bacteria of the *Bacillus cereus* Group.
Infect. Immun. 71:6591-6606. 2003.

126. Turk, B. E., T. Y. Wong, R. Schwarzenbacher, E. T. Jarrell, **S. H. Leppla**, R. J. Collier, R. C. Liddington, and L. C. Cantley.

The structural basis for substrate and inhibitor selectivity of the anthrax lethal factor.
Nature Struct. Mol. Biol. 11:60-66. 2004.

127. Sarac, M. S., J. R. Peinado, **S. H. Leppla**, and I. Lindberg.

Protection against anthrax toxemia by hexa-D-arginine in vitro and in vivo.
Infect. Immun. 72(1):602-605. 2004.

128. Cui, X., M. Moayeri, Y. Li, X. Li, M. Haley, Y. Fitz, R. Correa-Araujo, S. M. Banks, **S. H. Leppla**, and P. Q. Eichacker.

Lethality during continuous anthrax lethal toxin infusion is associated with circulatory shock but not inflammatory cytokine or nitric oxide release in rats.
Am. J. Physiol Regul. Integr. Comp. Physiol. 286(4):R699-R709. 2004.

129. Moayeri, M. and **S. H. Leppla**. The roles of anthrax toxin in pathogenesis.

Curr. Op. Microb. 7:19-24. 2004.

130. Abi-Habib, R. J., S. Liu, T. A. Bugge, **S. H. Leppla** and A. E. Frankel.

A urokinase-activated recombinant diphtheria toxin targeting the granulocyte-macrophage colony-stimulating factor receptor (DTU2GMCSF) is selectively cytotoxic to human acute myeloid leukemia blasts.
Blood Published online, 25 May.

131. Santelli, E., L. A. Bankston, **S. H. Leppla**, and R. C. Liddington.

Crystal structure of a complex between an anthrax toxin and its host cell receptor
Nature 430:905-908. 2004.


132. Moayeri, M., N. Martinez, H. A. Young, and **S. H. Leppla**.
Mouse susceptibility to anthrax lethal toxin is influenced by genetic factors additional to those controlling macrophage sensitivity.
Infect. Immun., 72:4439-4447. 2004.
133. Abrami, L., M. Lindsay, R. G. Parton, **S. H. Leppla**, and F. G. van der Goot.
Membrane insertion of anthrax protective antigen and cytoplasmic delivery of lethal factor occur at different stages of the endocytic pathway.
J. Cell Biol. 166:645-651. 2004.
134. Peinado, J. R., M. M. Kacprzak, **S. H. Leppla**, and I. Lindberg.
Cross-inhibition between furin and LF inhibitors.
Biochem. Biophys. Res. Commun. 321:601-605. 2004.
135. Pomerantsev, A. P., O. M. Pomerantseva, and **S. H. Leppla**.
A spontaneous translational fusion of *Bacillus cereus* PlcR and PapR activates transcription of PlcR-Dependent genes in *Bacillus anthracis* via binding with a specific palindromic sequence.
Infect. Immun. 72:5814-5823. 2004.
136. Liu, S., G. T. Milne, J. G. Kuremsky, G. R. Fink, and **S. H. Leppla**.
Identification of the proteins required for biosynthesis of diphthamide, the target of bacterial ADP_ribosylating toxins on elongation factor 2.
Mol. Cell Biol. 24:9487-9497. 2004.
137. Watson, J. V. Koya, **S. H. Leppla**, and H. Daniell.
Expression of *Bacillus anthracis* protective antigen in transgenic chloroplasts of tobacco, a non-food/feed crop.
Vaccine 22:4374-4384. 2004.
138. Ren, G., J. Quispe, **S. H. Leppla**, and A. K. Mitra.
Large-scale structural changes accompany binding of lethal factor to anthrax protective antigen: A cryo-electron microscopic study.
Structure (Camb.) 12:2059-2066. 2004.
139. Westcott, M. M., R. J. Abi-Habib, K. A. Cohen, M. C. Willingham, S. Liu, T. H. Bugge, **S. H. Leppla** and A. E. Frankel.
Diphtheria toxin-murine GM-CSF-induced hepatotoxicity is mediated by Kupffer cells.
Mol. Cancer Ther. 3:1681-1689. 2004
140. Cui, X., Y. Li, M. Moayeri, G. H. Choi, G. M. Subramanian, X. Li, M. Haley, Y. Fitz, J. Feng, S. M. Banks, **S. H. Leppla**, and P. Q. Eichacker.
Late treatment with a protective antigen-directed monoclonal antibody improves hemodynamic function and survival in a lethal toxin-infused rat model of anthrax sepsis
J. Inf. Dis. 191:422-434. 2005
141. Liu, S., V. Redeye, J. G. Kuremsky, M. Kuhnen, A. Molinolo, T. H. Bugge, and **S. H. Leppla**.
Intermolecular complementation achieves high-specificity tumor targeting by anthrax toxin
Nature Biotech, published online May 2005.

ISSUED PATENTS

- Leppla SH, Klimpel KR, Arora N, Singh Y. US Patent 5,591,631: Anthrax toxin fusion proteins, nucleic acid encoding same, Jan. 7, 1997.
- Leppla SH, Klimpel KR, Arora N, Singh Y. US Patent 5,677,274: Anthrax toxin fusion proteins and related methods, Oct. 14, 1997.
- Duesbery NS, Webb C, Leppla SH, Vande Woude G. US Patent 6,485,925: Anthrax lethal factor is a MAPK Kinase protease, Nov. 26, 2002.

Klimpel K, Goletz TJ, Arora N, Leppla SH, Berzofsky JA. US Patent 6,592,872. Targeting antigens to the MHC class I processing pathway with an anthrax toxin fusion protein, Jul. 15, 2003.


CELLULAR AND MOLECULAR IMMUNOLOGY



ABUL K. ABBAS

ANDREW H. LICHTMAN

JORDAN S. POBER



CELLULAR AND MOLECULAR IMMUNOLOGY

ABUL K. ABBAS, M.B.B.S.

Associate Professor of Pathology
Harvard Medical School and Brigham and Women's Hospital
Boston, Massachusetts

ANDREW H. LICHTMAN, M.D., Ph.D.

Assistant Professor of Pathology
Harvard Medical School and Brigham and Women's Hospital
Boston, Massachusetts

JORDAN S. POBER, M.D., Ph.D.

Associate Professor of Pathology
Harvard Medical School and Brigham and Women's Hospital
Boston, Massachusetts

1991

W.B. SAUNDERS COMPANY

Harcourt Brace Jovanovich, Inc.

Philadelphia London Toronto Montreal Sydney Tokyo

W. B. Saunders Company
Harcourt Brace Jovanovich, Inc.
The Curtis Center
Independence Square West
Philadelphia, PA 19106

Library of Congress Cataloging-In-Publication Data

Abbas, Abul K.

Cellular and molecular immunology / Abul K. Abbas, Andrew H.
Lichtman, Jordan S. Pober.

p. cm.

ISBN 0-7216-3032-4

1. Cellular immunity. 2. Immunity—Molecular aspects.

I. Lichtman, Andrew H. II. Pober, Jordan S. III. Title.

[DNLM: 1. Immunity, Cellular. 2. Lymphocytes—immunology. QW
568 A122c]

QR185.5.A23 1991

616.07'9—dc20

DNLM/DLC

Editor: Martin J. Wonsiewicz

Designer: Paul M. Fry

Production Manager: Peter Faber

Manuscript Editor: Carol Robins

Illustrator: Risa Clow

Illustration Coordinator: Brett MacNaughton

Indexer: Linda Van Pelt

Cellular and Molecular Immunology

ISBN 0-7216-3032-4

Copyright © 1991 by W. B. Saunders Company

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the publisher.

Printed in the United States of America.

Last digit is the print number: 9 8 7 6 5 4 3 2 1

periments established MHC restriction of antigen recognition by helper T cells and CTLs:

1. T cells from an antigen-primed guinea pig of one inbred strain proliferate in response to antigen *in vitro* only if macrophages from the same strain are present. These proliferating T cells are mostly helper cells. Subsequent analyses using inbred and congenic

strains of mice revealed that in order to present antigens to helper T cells, the APCs have to express class II MHC molecules that are seen as self by the T cells (Fig. 6-1). Such experiments, and others using purified and monoclonal T cell populations from mice and humans, have established that *antigen recognition by helper T cells is class II MHC-restricted*.

2. *In vivo* experiments with inbred mice utilizing




FIGURE 6-1. MHC restriction of proliferating (helper) T lymphocytes. T cells from a strain A or strain B mouse primed with an antigen X proliferate in response to that antigen only in the presence of strain A or B macrophages (or other antigen-presenting cells [APCs]), respectively. In the experiment depicted, the T cell populations are devoid of alloreactivity; i.e., strain A T cells do not respond to the foreign MHC molecules of strain B, and vice versa. The T cells also do not proliferate in the absence of antigen. Using congenic and recombinant strains of mice, it can be shown that the macrophages and T cells must come from animals that share class II MHC alleles in order for the antigen-induced T cell proliferation to occur.


adoptive transfer techniques and *in vitro* studies of antibody production showed that helper T lymphocytes and B cells cooperate to produce an antibody response to a protein antigen only if the B cells express class II MHC molecules that are seen as self by the T cells. This phenomenon is discussed in more detail in Chapter 9. It further supports the conclusion that helper T cells are class II MHC-restricted.

3. Perhaps the clearest demonstration of MHC

restriction came from assays of virus-specific CTL-mediated lysis of virally infected target cells in mice and humans. In most of these systems, the virus-infected target cells are lysed only if they express class I MHC molecules that are recognized as self MHC by the T cells (Fig. 6-2). This established that *CTL recognition of viral antigens is class I MHC-restricted*.

These experiments suggest that the MHC gene products involved in T cell antigen recognition must

FIGURE 6-2. MHC restriction of cytolytic T lymphocytes (CTLs). Virus-specific CTLs from a strain A or strain B mouse lyse only syngeneic target cells infected with the specific virus. The CTLs do not lyse uninfected targets and are not alloreactive. Further analysis has shown that the CTLs and target cells must come from animals that share class I MHC alleles in order for the target cell to present viral antigens to the CTLs. LCMV, lymphocytic choriomeningitis virus.




exogenously encountered proteins. Second, the adenovirus E19 protein specifically binds to and prevents transport of class I MHC molecules out of the ER. The ability of E19 to block nascent class I transport correlates with its ability to block class I-restricted antigen presentation.

Thus, the association of antigens with class I versus class II MHC molecules is due to the trafficking of the antigens through different intracellular compartments (Fig. 6-11). In most cases, the commitment to one or another traffic pattern is determined by where the antigen comes from; endogenously synthesized antigens end up associated with class I MHC and exogenously synthesized and endocytosed antigens end up associated with class II MHC. There are exceptions, however, when endogenously synthesized proteins do end up being presented in association with class II MHC molecules.

Many unanswered questions remain about the cell biology of class I-restricted antigen presentation. The site at which antigens are processed into peptides before association with class I MHC molecules is not known, nor is it understood how the processed peptides get into the rough ER, where nascent class I MHC molecules are being synthesized. There is some evidence that the ER itself may contain proteolytic enzymes that could generate immunogenic peptides. Since both class I and class II MHC molecules are produced in the rough ER and both have a natural affinity for peptides, there must also be some mechanism that prevents peptides from binding to class II molecules in the ER. This may be accomplished by the class II-associated invariant or γ chains that may interfere with the peptide-binding clefts. Class I MHC molecules do not have invariant chains when they are synthesized and are therefore free to bind peptides produced within the cell. This may be one reason why

FIGURE 6-11. Pathway of class I MHC-restricted presentation of an endogenously synthesized (e.g., viral) antigen.



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.